

LC SERIES

CONSTANT CURRENT LED DRIVERS

CONSTANT CURRENT LED DRIVER CASE STYLE BB: METAL



GENERAL INFORMATION

LED Drive Type	Constant Current Class 1
Maximum Wattage	150W
Input Voltage	120-277VAC (+/-10%)
Input Frequency	50/60 Hz
Power Factor @ Full Load	>0.99
Efficiency @ Full Load	94%
THD	<20%
Start-Up Time	<2s
Output Current Tolerance	5%
Line Regulation	2%
Load Regulation (Max Load)	3%
Maximum Ripple Current	<3%
Dimming	0-10V (Min 10%)
Output Over Current Protection	Hiccup Mode
Output Short-Circuit Protection	Hiccup Mode
Over Temperature Protection	Auto-Recovery
EMI Compliance	FCC Part 15 Class B

ENVIRONMENTAL SPECIFICATIONS

Minimum Operating Temp.	-40° C
Maximum Case Temp.	+90° C
Maximum Storage Temp.	+85° C
Maximum Relative Humidity	95% Non-condensing
Transient Protection	2.5kV
UL Environment Rating	Dry & Damp
Sound Rating	Class A

APPROVALS



WARRANTY

- 5 year limited warranty

ELECTRICAL SPECIFICATIONS


Max. Power	Rated Current	Output Voltage (VDC)	Input Voltage	Dimming Type	Input Power	Input Current	Efficiency	Part Number
150W	1050mA	72 - 143 VDC	120-277 VAC	0-10V Dimming	160W	1.38/ 0.66A	94%	LC150-1050Z-UNV-BB

Custom output current available on Made to Order basis

LC SERIES

CONSTANT CURRENT LED DRIVERS

SIZING INFORMATION: CASE STYLE BB



Specifications subject to change without notice.


WIRING INFORMATION

Input	12", Black (L), White (N) #18AWG
Output	12", Red (+), Blue (-) #18AWG
Dimming	12", Purple (+), Pink (-) #22AWG

PACKAGING INFORMATION

Package Weight	22.9oz
Quantity	25pcs/carton

PERFORMANCE CURVES





THD, PF and efficiency measured at 25°C. Measurements made on model LC150-1500Z-UNV-BB

LC SERIES

CONSTANT CURRENT LED DRIVERS

PERFORMANCE CURVES




THD, PF and efficiency measured at 25°C. Measurements made on model LC150-1500Z-UNV-BB

LC SERIES

CONSTANT CURRENT LED DRIVERS

PERFORMANCE CURVES



THD, PF and efficiency measured at 25°C. Measurements made on model LC150-1500Z-UNV-BB